Durat by Durat

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 12 36 61.16 Solid Surfacing Countertops

PRODUCT DESCRIPTION: Durat® is a Polyester resin based solid surface material which contains pre-consumer plastic waste. Durat® solid surface is only delivered as sheets for interior decoration and boards. Durat® can be used to create seamless surfaces of any custom project. The material can be processed with woodworking tools.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

C Material

100 ppm
1,000 ppm
Per GHS SDS
Per OSHA MSDS
Other

Threshold level

Residuals/Impurities

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened

All substances screened using Priority Hazard Lists with results disclosed.

○ Yes Ex/SC ⊙ Yes ○ No

Identified O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

DURAT [ALUMINA TRIHYDRATE BM-2 | RES POLYESTER NoGS POLYMETHYL METHACRYLATE (PMMA) LT-P1 | RES]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Benchmark or List translator Score ... LT-P1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Emission Classification of Building Materials - M1 Other: CA Section 01350 (CHPS) Emission Test - CDPH/EHLB Standard Method V1.1 - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

🖸 No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2017-08-07 PUBLISHED DATE: 2019-12-17 EXPIRY DATE: 2020-08-07 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

DURAT

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present in the final product that would trigger a GreenScreen score of BM-1, LT-1, or LT-P1, based on Supplier MSDS/SDS.

OTHER PRODUCT NOTES: Durat® is solid surface material consisting of fillers and pigments encapsulated in cured polyester resin. There are several possible colors for the product. Each color paste used (<1 % of the final product) has independent MSDS and classification according to EU REACH regulations, delivered by the manufacturer. According to the MSDS, color paste are not classified as hazardous substances or mixtures according to EC-directives 67/548/EEC or 1999/45/EC.

ALUMINA TRIHYDRATE				ID: 21645-51-2
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-07		
%: 40.00 - 60.00	GS: BM-2	RC: None	NANO: NO	ROLE: filler, flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only		ensitizer-induced - inhalable forms
SUBSTANCE NOTES: Filler is (encapsulated in the solid surface material a	nd sheets and no	ot in inhalable	form.

POLYESTER				ID: 113669-95-7
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-07		
%: 35.00 - 45.00	GS: NoGS	RC: None	NANO: NO	ROLE: solid surface: binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS	
None found			No warnii	ngs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Cured unsaturated linear polyester resin. CAS# not available from the manufacturer. Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008, not classified as dangerous according to Directive 67/548/EEC (MSDS).

POLYMETHYL METHACRYLATE (PMMA) ID: 9011-14-7					
HAZARD SCREENING METHOD:	HAZARD SCREEN	HAZARD SCREENING DATE: 2017-08-07			
%: 10.00 - 50.00	GS: LT-P1	RC: PreC	NANO: NO	ROLE: filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs)	Asthmagen (Rs) - sensitizer-induced		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced			

SUBSTANCE NOTES: PMMA filler in the solid surface material exists as granules, and hazard is only applicable for dust formed in fabrication of the sheets.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Emission C - M1	lassification o	of Building Materials
CERTIFYING PARTY: Second Party APPLICABLE FACILITIES: All manufacturing facilities CERTIFICATE URL: https://www.durat.com/fileadmin/user_upload/pdf/Durat_lp2218ENG.pdf	ISSUE DATE: 2014-05- 09	EXPIRY DATE:	CERTIFIER OR LAB: Building Information Foundation RTS (Finland)

CERTIFICATION AND COMPLIANCE NOTES: The tested product complies with the requirements of the M1 Protocol for Chemical and Sensory Testing of Building Materials as published by Rakennustietosäätiö (version 1.1.2014).

OTHER	CA Section 01350 (CHPS) Emission Test - CDPH/EHLB Standard Method V1.1 - Classroom & Office scenario				
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All manufacturing facilities	ISSUE DATE: 2014- 05-09	EXPIRY DATE:	CERTIFIER OR LAB: Eurofins		
CERTIFICATE URL:					

CERTIFICATION AND COMPLIANCE NOTES: The tested product complies with the requirements of of the Standard Method for the Testing and Evaluation of VOC Emissions from Indoor Sources using Environmental Chambers, version 1.1 of February 2010 by the California Department of Public Health.

🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ANY POLYESTER GLUE SUITABLE FOR RESIN

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Terms and conditions of use appropriate for the selected product and following the MSDS of the product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Durat ADDRESS: Albertinkatu 6 1. krs Helsinki Uusimaa 00150, Finland WEBSITE: https://www.durat.com/home/ CONTACT NAME: CaraGreen TITLE: Distributor PHONE: 919-929-3009 EMAIL: info@caragreen.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

MUL Multiple hazards

OZO Ozone depletion

NEU Neurotoxicity

MAM Mammalian/systemic/organ toxicity

PBT Persistent Bioaccumulative Toxic

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.